

CATCHRAD

THE CATCHRAD HAVC TECHNOLOGY CO.,LTD
辽宁世泽暖通科技有限责任公司



THE CATCHRAD HAVC TECHNOLOGY CO.,LTD
E-Mail: gong@catchradiator.com




www.catchradiator.com



THE CATCHRAD HAVC TECHNOLOGY CO.,LTD

Founded in August 2020, it is located in the beautiful seaside town of Yingkou City, Liaoning Province, with a total investment of 12 million yuan and the company covers an area of 24,000 square meters. With an annual output value of 75 million yuan, the company has fully automatic electrostatic spraying production lines, laser cutting machines, special lap welding machines, special head welding machines, laser welding machines, automatic brazing machinespre-treatment spray devices and other equipment. The company currently has 135 employees and has an annual production capacity of 150,000 sets of mild steel radiators and aluminum radiators. The company has a number of its own product and equipment patents, and has also passed EU CE, ROHS, UKCA, EN442 and other product testing and product certifications. Liaoning Shize Heating and Ventilation Technology Co., Ltd. has long-term cooperation with many well-known European sanitary ware brands, and is highly praised by customers for its high standard product quality and excellent supply capabilities!







	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
DP12-4/1800	1800	200	1735	68	100	7.5
DP12-6/1800	1800	290	1735	68	100	11.3
DP12-8/1800	1800	380	1735	68	100	15.0
DP12-10/1800	1800	470	1735	68	100	18.8
DP12-13/600	600	605	535	68	100	9.1
DP12-17/600	600	785	535	68	100	11.9
DP12-22/300	300	1010	235	68	100	9.0




	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
DP13-4/1800	1800	200	1735	68	120	11.2
DP13-6/1800	1800	290	1735	68	120	16.8
DP13-8/1800	1800	380	1735	68	120	22.5
DP13-10/1800	1800	470	1735	68	120	28.1
DP13-13/600	600	605	535	68	120	13.5
DP13-17/600	600	785	535	68	120	17.7
DP13-22/600	600	1010	535	68	120	22.9
DP13-26/600	600	1190	535	68	120	27.1
DP13-30/600	600	1370	535	68	120	31.2
DP13-22/300	300	1010	235	68	120	13.2
DP13-26/300	300	1190	235	68	120	15.6
DP13-30/300	300	1370	235	68	120	18.0




1010x300




1190x300




1370x300



605x600




785x600



1010x600



1190x600



1370x600



White



Anthracite




black



laquer

	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
DP14-13/600	600	605	535	91	160	18.4
DP14-17/600	600	785	535	91	160	24.1
DP14-22/600	600	1010	535	91	160	31.2
DP14-26/600	600	1190	535	91	160	36.9
DP14-30/600	600	1370	535	91	160	42.5
DP14-22/300	300	1010	235	91	160	18.2
DP14-26/300	300	1190	235	91	160	21.5
DP14-30/300	300	1370	235	91	160	24.8



1100x480



White




Anthracite




black


	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
WDP14-22/300	1100	480	235	-	-	18.2




	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres(mm)	Wall Distance (mm)	Water Content (L)
WB11-4/1800	1800	304	1755	40	66	4.8
WB11-5/1800	1800	380	1755	40	66	5.9
WB11-6/1800	1800	456	1755	40	66	7.1
WB11-7/1800	1800	532	1755	40	66	8.3
WB11-8/1800	1800	608	1755	40	66	9.5
WB11-6/600	600	456	555	40	66	2.8
WB11-8/600	600	608	555	40	66	3.8
WB11-11/600	600	836	555	40	66	5.2
WB11-14/600	600	1064	555	40	66	6.6
WB11-16/600	600	1216	555	40	66	7.6
WB11-18/600	600	1368	555	40	66	8.5
WB11-20/600	600	1520	555	40	66	9.4




	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
WB12-4/1800	1800	304	1755	63	90	9.0
WB12-6/1800	1800	456	1755	63	90	13.6
WB12-8/1800	1800	608	1755	63	90	18.1
WB12-6/600	600	456	555	63	90	5.0
WB12-8/600	600	608	555	63	90	6.6
WB12-11/600	600	836	555	63	90	9.1
WB12-14/600	600	1064	555	63	90	11.6
WB12-16/600	600	1216	555	63	90	13.3




	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
AD11-4/1800	1800	236	1755	63	103	6.3
AD11-6/1800	1800	354	1755	63	103	9.5
AD11-8/1800	1800	472	1755	63	103	12.7
AD11-7/600	600	413	555	63	103	4.1
AD11-10/600	600	590	555	63	103	5.9
AD11-13/600	600	767	555	63	103	7.6
AD11-17/600	600	1003	555	63	103	10.0
AD11-20/600	600	1180	555	63	103	11.7




	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
AD12-4/1800	1800	236	1755	63	103	12.3
AD12-6/1800	1800	354	1755	63	103	18.4
AD12-8/1800	1800	472	1755	63	103	24.6
AD12-7/600	600	413	555	63	103	7.6
AD12-10/600	600	590	555	63	103	10.8
AD12-13/600	600	767	555	63	103	14.1
AD12-17/600	600	1003	555	63	103	18.4
AD12-20/600	600	1180	555	63	103	21.7




590x800




590x1000




590x1200



590x1400



590x1600



590x1800



White





Anthracite




black


	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
AHD11-10/800	590	800	755	67	107	7.5
AHD11-10/1000	590	1000	955	67	107	9.2
AHD11-10/1200	590	1200	1155	67	107	10.8
AHD11-10/1400	590	1400	1355	67	107	12.5
AHD11-10/1600	590	1600	1555	67	107	14.2
AHD11-10/1800	590	1800	1755	67	107	15.8




590x800




590x1000




590x1200



590x1400



590x1600



590x1800



White





Anthracite




black


	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
AHD12-10/800	590	800	755	60	100	14.2
AHD12-10/1000	590	1000	955	60	100	17.5
AHD12-10/1200	590	1200	1155	60	100	20.8
AHD12-10/1400	590	1400	1355	60	100	24.1
AHD12-10/1600	590	1600	1555	60	100	27.4
AHD12-10/1800	590	1800	1755	60	100	30.7




680x800




680x1000




680x1200



680x1400



680x1600



680x1800



White



Anthracite




black




laquer


	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
WHD11-10/800	680	800	755	67	97	5.2
WHD11-10/1000	680	1000	955	67	97	6.2
WHD11-10/1200	680	1200	1155	67	97	7.3
WHD11-10/1400	680	1400	1355	67	97	8.3
WHD11-10/1600	680	1600	1555	67	97	9.4
WHD11-10/1800	680	1800	1755	67	97	10.4




	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
WHD12-10/800	680	800	755	71	100	9.4
WHD12-10/1000	680	1000	955	71	100	11.4
WHD12-10/1200	680	1200	1155	71	100	13.5
WHD12-10/1400	680	1400	1355	71	100	15.6
WHD12-10/1600	680	1600	1555	71	100	17.7
WHD12-10/1800	680	1800	1755	71	100	19.8



1800x382



1800x500



1800x618



White




Anthracite






black


	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
ADJ12-4/1800	1800	382	1755	63	103	15.5
ADJ12-6/1800	1800	500	1755	63	103	21.6
ADJ12-8/1800	1800	618	1755	63	103	27.8




	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
AD31-5/1800	1800	295	1755	63	103	7.9
AD31-6/1800	1800	354	1755	63	103	9.5
AD31-7/1800	1800	413	1755	63	103	11.1
AD31-8/1800	1800	472	1755	63	103	12.7




600x650



600x1210



1800x440



1800x580



White




Anthracite




black


	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
BF12-9/600	600	650	525	66	111	16.3
BF12-17/600	600	1210	525	66	111	30.8
BF12-6/1800	1800	440	1725	66	111	27.9
BF12-8/1800	1800	580	1725	66	111	37.1




600x440




600x620




600x800




600x1040




600x1220



1800x260



1800x380



1800x500



White




Anthracite




black


	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
AR12-4-1800	1800	260	1720	63	103	13.2
AR12-6/1800	1800	380	1720	63	103	19.8
AR12-8/1800	1800	500	1720	63	103	26.3
AR12-7/600	600	440	520	63	103	9.1
AR12-10/600	600	620	520	63	103	13.0
AR12-13/600	600	800	520	63	103	16.9
AR12-17/600	600	1040	520	63	103	22.2
AR12-20/600	600	1220	520	63	103	26.1




	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
AHR12-10/800	620	800	720	65	106	16.3
AHR12-10/1000	620	1000	920	65	106	19.7
AHR12-10/1200	620	1200	1120	65	106	23.0
AHR12-10/1400	620	1400	1320	65	106	26.3
AHR12-10/1600	620	1600	1520	65	106	29.6
AHR12-10/1800	620	1800	1720	65	106	32.9



	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
CT-1600x230-3D50	1600	230	1540	55	80	10.7
CT-1600x330-3D50	1600	330	1540	55	80	15.0
CT-1800x230-3D50	1800	230	1740	55	80	12.0
CT-1800x330-3D50	1800	330	1740	55	80	16.8
CT-1800x430-3D50	1800	430	1740	55	80	21.6
CT-1800x530-3D50	1800	530	1740	55	80	26.4
CT-1800x630-3D50	1800	630	1740	55	80	31.2



	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
MID11-7/1800	1800	324	1755	52	97.5	6.9
MID11-10/1800	1800	456	1755	52	97.5	9.6
MID11-10/550	550	456	505	52	97.5	3.4
MID11-13/550	550	588	505	52	97.5	4.4
MID11-19/550	550	852	505	52	97.5	6.3
MID11-22/550	550	984	505	52	97.5	7.2
MID11-28/550	550	1248	505	52	97.5	9.1



1800x340



White



Anthracite



black

	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
TWD11	1800	340	1755	65	100	5.2




White




Anthracite




black




500x1200



500x1200




500x1488




500x1776


	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
fD12-13/500	1200	500	460	64.5	108	8.2
fD11-13/500	1200	500	460	64.5	108	4.7
fD11-16/500	1488	500	460	64.5	108	5.8
fD11-19/500	1776	500	460	64.5	108	6.9



780x500



1140x500



1740x500



White




Anthracite




black


	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
aLFD11-7/500	780	500	100	45	85	4.1
aLFD11-10/500	1140	500	100	45	85	5.9
aLFD11-15/500	1740	500	100	45	85	8.8



496x500





992x500




1488x500



	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
aLD11-4/500	496	500	455	45	85	2.4
aLD11-8/500	992	500	455	45	85	4.8
aLD11-12/500	1488	500	455	45	85	7.2



816x500




1126x500



1436x500



	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
nN11-12/500	816	500	450	55	100	5.6
nN11-16/500	1126	500	450	55	100	7.5
nN11-20/500	1436	500	450	55	100	9.4



820x500

1130x500

1440x500




White



Anthracite

black

	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
aFD11-9/500	820	500	100	45	85	5.0
aFD11-12/500	1130	500	100	45	85	6.7
aFD11-15/500	1440	500	100	45	85	8.4



	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
wD11-9/500	748	500	455	45	75	3.5
wD11-12/500	952	500	455	45	75	4.6
wD11-16/500	1224	500	455	45	75	6.0
wD11-9/600	748	600	555	45	75	3.9
wD11-12/600	952	600	555	45	75	5.2
wD11-16/600	1224	600	555	45	75	6.8



White




Anthracite





black


	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
wLFE11-10	899	400/500/600	50	67	99	3.6/4.1/4.7
wLFE11-13	1176	400/500/600	50	67	99	4.7/5.4/6.1
wLFE11-15	1385	400/500/600	50	67	99	5.4/6.3/7.1
wLFE11-18	1662	400/500/600	50	67	99	6.5/7.5/8.5



	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
EwLFE11-9	762	400/500/600	50	67	99	3.2/3.7/4.2
EwLFE11-12	1041	400/500/600	50	67	99	4.2/4.9/5.6
EwLFE11-15	1320	400/500/600	50	67	99	5.3/6.2/7.0
EwLFE11-18	1599	400/500/600	50	67	99	6.4/7.4/8.4



	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
zZFD11-16(4+4)	913	400/500/600	50	67	115	6.2/7.4/8.6
zZFD11-20(4+4)	1162	400/500/600	50	67	115	7.8/9.3/10.8
zZFD11-24(4+4)	1411	400/500/600	50	67	115	9.4/11.2/13.0
zZFD11-28(4+4)	1660	400/500/600	50	67	115	11.0/13.1/15.2



White




Anthracite




black


	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
EzZFD11-12	737	400/500/600	50	67	115	4.7/5.6/6.6
EzZFD11-15	942	400/500/600	50	67	115	6.0/7.0/8.2
EzZFD11-18	1147	400/500/600	50	67	115	7.2/8.5/9.9
EzZFD11-21	1352	400/500/600	50	67	115	8.4/10.0/11.6
EzZFD11-24	1557	400/500/600	50	67	115	10.0/11.4/13.2





	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
nB11-9/500	823	500	455	55	82	3.9
nB11-12/500	1124	500	455	55	82	5.2
nB11-15/500	1424	500	455	55	82	6.5




	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
ABFD 500/5	542	500	50	65	105	2.6
ABFD 500/8	896	500	50	65	105	4.1
ABFD 500/11	1250	500	50	65	105	5.7
ABFD 500/14	1604	500	50	65	105	7.2




	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
NBCT 500/6	500	500	470	65	80	1.7
NBCT 500/12	1000	500	470	65	80	3.4



	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
FBFD 500/12	806	500	50	65	112	5.5
FBFD 500/16	1106	500	50	65	112	7.4



	Overall Height (mm)	Dimension Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
BXCT 12/3+4+5	840	350/500/600	318/468/568	72	88	2.0/2.4/2.6
BXCT 15/3+4+7	1190	350/500/600	318/468/568	72	88	2.6/3.1/3.5
BXCT 16/3+4+8	1260	350/500/600	318/468/568	72	88	2.8/3.4/3.7
BXCT 20/3+4+5+8	1610	350/500/600	318/468/568	72	88	3.6/4.3/4.7



The Features of Our Aluminum Products



We manufactured both SINGLE and DOUBLE aluminum radiators and towel rails by Aluminum Brazing technology. This production technology prevents galvanic corrosion that may occur in the future.

The aluminum radiator produced by the company adopts our self-developed patented technology to effectively improve the internal conduction area of the radiator and greatly increase the heat dissipation.


The raw materials of our products are produced using aluminum materials of international standards, thus ensuring the reliability of welding and excellent heat conductivity.





TANG Single



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	35	65	1.4
600	660	570	35	65	2.0
600	850	570	35	65	2.5
600	1040	570	35	65	3.1
600	1230	570	35	65	3.7
600	1420	570	35	65	4.2
1800	280	1770	35	65	1.8
1800	375	1770	35	65	2.4
1800	470	1770	35	65	3.0
1800	565	1770	35	65	3.6
1800	660	1770	35	65	4.1




TANG Double



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	57	87	1.4
600	660	570	57	87	2.0
600	850	570	57	87	2.5
600	1040	570	57	87	3.1
600	1230	570	57	87	3.7
600	1420	570	57	87	4.2
1800	280	1770	57	87	1.8
1800	375	1770	57	87	2.4
1800	470	1770	57	87	3.0
1800	565	1770	57	87	3.6
1800	660	1770	57	87	4.1




TANG-I Single



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1800	375	1770	35	65	2.3
1800	565	1770	35	65	3.5



TANG-I Double



1800X375

1800X565



White



Anthracite



black



Anthracite



Grey




Cappucino

Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1800	375	1770	57	87	2.3
1800	565	1770	57	87	3.5



TANG-II Single



1800X375


1800X565



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1800	375	1770	35	65	2.3
1800	565	1770	35	65	3.5




TANG-II Double




Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1800	375	1770	57	87	2.3
1800	565	1770	57	87	3.5




TANG-III Single




Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1040	500	50	65	95	2.3
1230	500	50	65	95	3.0
1535	500	50	65	95	3.6
1800	500	50	65	95	4.3
1230	600	50	65	95	3.2
1535	600	50	65	95	3.9
1800	600	50	65	95	4.6




TANG-IV Single



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1230	600	50	35	77	2.7
1420	600	50	35	77	3.1
1800	600	50	35	77	3.9




ZHOU Single




Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	35	70	1.4
600	660	570	35	70	2.0
600	850	570	35	70	2.5
600	1040	570	35	70	3.1
600	1230	570	35	70	3.7
600	1420	570	35	70	4.2
1800	280	1770	35	70	1.8
1800	470	1770	35	70	3.0
1800	660	1770	35	70	4.1




ZHOU Double




Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	57	92	1.4
600	660	570	57	92	2.0
600	850	570	57	92	2.5
600	1040	570	57	92	3.1
600	1230	570	57	92	3.7
600	1420	570	57	92	4.2
1800	280	1770	57	92	1.8
1800	470	1770	57	92	3.0
1800	660	1770	57	92	4.1




SONG Single



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	445	570	35	62	1.5
600	595	570	35	62	2.0
600	820	570	35	62	2.8
600	1045	570	35	62	3.6
600	1195	570	35	62	4.1
600	1420	570	35	62	4.8
1800	295	1770	35	62	2.3
1800	370	1770	35	62	2.8
1800	445	1770	35	62	3.4
1800	520	1770	35	62	3.9
1800	595	1770	35	62	4.5



SONG Double



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	445	570	57	83.5	1.5
600	595	570	57	83.5	2.0
600	820	570	57	83.5	2.8
600	1045	570	57	83.5	3.6
600	1195	570	57	83.5	4.1
600	1420	570	57	83.5	4.8
1800	295	1770	57	83.5	2.3
1800	370	1770	57	83.5	2.8
1800	445	1770	57	83.5	3.4
1800	520	1770	57	83.5	3.9
1800	595	1770	57	83.5	4.5



SONG-I Single



1172X600



1484X600



1640X600



White



Anthracite



black



Anthracite



Grey





Cappucino

Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1172	600	570	65	92	2.8
1484	600	570	65	92	3.6
1640	600	570	65	92	3.9




SUI Single





Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	35	65	1.4
600	660	570	35	65	2.0
600	850	570	35	65	2.5
600	1040	570	35	65	3.1
600	1230	570	35	65	3.7
600	1420	570	35	65	4.2
1800	280	1770	35	65	1.8
1800	375	1770	35	65	2.4
1800	470	1770	35	65	3.0
1800	565	1770	35	65	3.6
1800	660	1770	35	65	4.1




SUI Double



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	57	87	1.4
600	660	570	57	87	2.0
600	850	570	57	87	2.5
600	1040	570	57	87	3.1
600	1230	570	57	87	3.7
600	1420	570	57	87	4.2
1800	280	1770	57	87	1.8
1800	375	1770	57	87	2.4
1800	470	1770	57	87	3.0
1800	565	1770	57	87	3.6
1800	660	1770	57	87	4.1




XIA Single



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	480	570	35	81.5	1.4
600	680	570	35	81.5	2.0
600	880	570	35	81.5	2.6
600	1080	570	35	81.5	3.2
600	1280	570	35	81.5	3.7
1800	280	1770	35	81.5	1.8
1800	380	1770	35	81.5	2.4
1800	480	1770	35	81.5	3.0
1800	580	1770	35	81.5	3.6



XIA Double



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	480	570	57	103.5	1.4
600	680	570	57	103.5	2.0
600	880	570	57	103.5	2.6
600	1080	570	57	103.5	3.2
600	1280	570	57	103.5	3.7
1800	280	1770	57	103.5	1.8
1800	380	1770	57	103.5	2.4
1800	480	1770	57	103.5	3.0
1800	580	1770	57	103.5	3.6



MING Single



580X800



580X1000



580X1200



580X1400



580X1600



White



Anthracite



black



Anthracite



Grey



Cappuccino

Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
580	800	770	65	112	2.0
580	1000	970	65	112	2.3
580	1200	1170	65	112	2.6
580	1400	1370	65	112	2.9
580	1600	1570	65	112	3.2



MING Double



580X800



580X1000



580X1200



580X1400



580X1600



White



Anthracite



black



Anthracite



Grey




Cappuccino


Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
580	800	770	65	112	2.0
580	1000	970	65	112	2.3
580	1200	1170	65	112	2.6
580	1400	1370	65	112	2.9
580	1600	1570	65	112	3.2




YUAN Single



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
400	1045	370	35	81.5	3.0
400	1395	370	35	81.5	4.0
400	1745	370	35	81.5	4.9
700	695	670	35	81.5	2.7
700	1045	670	35	81.5	4.1
1800	345	1770	35	81.5	2.8
1800	485	1770	35	81.5	3.9
1800	625	1770	35	81.5	5.0




YUAN Double



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
400	1045	370	57	103.5	3.0
400	1395	370	57	103.5	4.0
400	1745	370	57	103.5	4.9
700	695	670	57	103.5	2.7
700	1045	670	57	103.5	4.1
1800	345	1770	57	103.5	2.8
1800	485	1770	57	103.5	3.9
1800	625	1770	57	103.5	5.0



JIN Single




1800X375 1800X470 1800X565



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1800	375	1770	35	65	2.4
1800	470	1770	35	65	3.0
1800	565	1770	35	65	3.6



JIN Double





1800X375 1800X470 1800X565




Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1800	375	1770	57	87	2.4
1800	470	1770	57	87	3.0
1800	565	1770	57	87	3.6




QIN Single



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	35	70	1.4
600	660	570	35	70	2.0
600	850	570	35	70	2.5
600	1040	570	35	70	3.1
600	1230	570	35	70	3.7
600	1420	570	35	70	4.2
1800	280	1770	35	70	1.8
1800	375	1770	35	70	2.4
1800	470	1770	35	70	3.0
1800	565	1770	35	70	3.6
1800	660	1770	35	70	4.1




QIN Double




Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
600	470	570	57	92	1.4
600	660	570	57	92	2.0
600	850	570	57	92	2.5
600	1040	570	57	92	3.1
600	1230	570	57	92	3.7
600	1420	570	57	92	4.2
1800	280	1770	57	92	1.8
1800	375	1770	57	92	2.4
1800	470	1770	57	92	3.0
1800	565	1770	57	92	3.6
1800	660	1770	57	92	4.1




SHANG



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1170	500	50	65	82	2.1
1470	500	50	65	82	2.5
1770	500	50	65	82	2.9



WEI



860X500

1180X500


1500X500



Overall Height (mm)	Dimensionssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
860	500	465	67.5	85	4.7
1180	500	465	67.5	85	6.5
1500	500	465	67.5	85	8.3




SHU



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
720	500	465	67.5	85	3.2
1240	500	465	67.5	85	5.4
1500	500	465	67.5	85	6.5



WU




705X680



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
705	680	645	67.5	98	3.3



WU-I




1200X485





Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
1200	485	450	67.5	98	5.7




LIAO



Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
900	500	470	65	112	1.9
1300	500	470	65	112	2.7
1700	500	470	65	112	3.5




300X1230




300X1230



300X1180



300X1255



White



Anthracite



black



Anthracite




Grey



Cappuccino

	Overall Height (mm)	Dimenssion Width (mm)	Pipe Centres (mm)	Wall to pipe Centres (mm)	Wall Distance (mm)	Water Content (L)
TANG LEGGY	300	1230	170	—	—	2.6
SUI LEGGY	300	1230	170	—	—	2.6
XIA LEGGY	300	1180	170	—	—	2.9
XIA LEGGY	300	1255	170	—	—	2.9



Valve
Multiple colors available



Radiator Feet
Multiple colors available

